


RPC0603DT-50-5

HIGH POWER HIGH FREQUENCY CHIP TERMINATION

The RPC0603DT-50-5 terminations offer excellent power handling capabilities and frequency response to 26.5 GHz. The superior thermal properties of CVD diamond (high conductivity and low expansion) makes these terminations ideal for pulsed power applications. The mechanical and electrical characteristics of these chips provide a robust solution for many aerospace and military applications while its standardized production process keep the cost competitive for commercial use.

Features:


- High power
- Low VSWR
- Total thin film
- Excellent pulsed power handling
- RoHS compliant



Specifications:

- Resistance: 50 +/-5%
- Frequency: DC – 26.5 GHz
- Power: 50 Watts
- VSWR: 1.5:1 Max
- Operating temperature: -55 °C to 150 °C
- CVD diamond substrate
- Solderable or wire bondable terminals

Mechanical Outline



Dimensions are in inches [mm]

P.O. BOX 18802, Clearwater, FL 33762
1-800-526-0704




RPC0603DT-50-5

HIGH POWER HIGH FREQUENCY CHIP TERMINATION


The terminal of the RPC0603DT-50-5 can be used for soldered or wire bonding applications. The recommended attachment to heat sink is by soldering. Some de-rating needs to be applied when using epoxy as method of attachment, this de-rating depends on the thermal properties of the epoxy and technique applied.

These resistors are RoHS compliant and can be offered in waffle pack or tape and reel.


Typical Performance



Power Rating



Ordering Information



P.O. BOX 18802, Clearwater, FL 33762
1-800-526-0704



Electro Technik Industries

RES-NET MICROWAVE

Capacitive Products

Arizona Capacitors, Inc.
1100 S. Plumer Avenue, Tucson, AZ 85719
tel: 520-573-0221 fax: 520-573-0520
azcapsales@electrotechnik.com
www.arizonacapacitors.com

- Wound Film Capacitors and Electronic Filters

Custom Suppression, Inc.
1100 S. Plumer Avenue, Tucson, AZ 85719
tel: 520-573-0223 fax: 520-573-0520
csisales@electrotechnik.com
www.customsuppression.com

- Broadband, Microwave, EMI, and RFI Filters, Filtered Connectors, and Assemblies

Microwave Products

Res-Net Microwave, Inc.
P.O. Box 18802, Clearwater, FL 33762
tel: 727-530-9555 fax: 727-531-8215
res_sales_service@electrotechnik.com
www.res-netmicrowave.com

- RF/Microwave Resistors, Attenuators, Terminations

Wavetronix Corp.
P.O. Box 18802, Clearwater, FL 33762
tel: 727-530-9555 fax: 727-531-8215
wave_sales_service@electrotechnik.com
www.wavetronix-eti.com

- RF/Microwave Cable Assemblies and Semi-Rigid Coaxial Cables

Resistive Products

Tepro of Florida, Inc.
P.O. Box 18802, Clearwater, FL 33762
tel: 727-796-1044 fax: 727-791-7425
tep_sales_service@electrotechnik.com
www.tepro-vamistor.com

- Wirewound and Metal Film Resistors

Vamistor
P.O. Box 1260, Clearwater, FL 33757
tel: 727-796-1044 fax: 727-791-7425
tep_sales_service@electrotechnik.com
www.tepro-vamistor.com

- Carbon Film and RL 42 Resistors

Magnetics Products

Hytronics Corp.
P.O. Box 18802, Clearwater, FL 33762
tel: 727-535-0413 fax: 727-531-1592
hy_sales_service@electrotechnik.com
www.hytronicscorp.com

- Power Transformers and Power Inductors

Raycom Electronics, Inc.
P.O. Box 250, 1 Raycom Rd.
Dover, PA 17315
tel: 717-292-3641 fax: 717 292-2919
raycomsaleservice@electrotechnik.com
www.raycomelectronics.com

- Custom Military and Avionics Magnetics

Goguen Industries

1100 S. Plumer Avenue, Tucson, AZ 85719
tel: 520-573-0221 fax: 520-573-0520
goguensales@electrotechnik.com
www.goguenindustries.com

- Specialty Inductors, Transformers, and Air Coils

Inductive Technologies, Inc. (I-Tech)
P.O. Box 18802, Clearwater, FL 33762
tel: 727-532-4459 fax: 727-531-1592
i-techsales@electrotechnik.com
www.inductech.com

- Standard Catalog Inductors and Transformers

Winatic Corp.
P.O. Box 18802, Clearwater, FL 33762
tel: 727-538-8917 fax: 727-531-1592
win_sales_service@electrotechnik.com
www.winatic.com

- Transformers and Inductors for Medical Devices and Equipment

P.O. BOX 18802, Clearwater, FL 33762
1-800-526-0704